



canfield connector

Product Overview

Solenoid Valve Connectors

- *NEMA 4 and IP65 dust tight and water resistant*
- *MINI, ISO and Sub-Micro*

Cylinder Proximity Sensors

- *Reed and Electronic sensors*
- *Dovetail, Round Keyway, Tie Rod, and Round Cylinder clamp styles*

Timers, Proportional and Electronic Circuits

- *Connector, Sandwich and Block and styles*
- *Easy installation*

Round Connectors

- *8mm and 12mm quick connect cables*
- *Molded or Field Wireable*

Conveyor Controls

- *Adjustable settings for Time and Sensitivity*
- *Detects various materials and is cascable*

Sensors,

Electrical Connectors,

Timers &

Accessories

8510 Foxwood Court
Youngstown, Ohio 44514
P: (330) 758-8299
F: (330) 758-8912

www.canfieldconnector.com

Solenoid Valve Connectors

Series 5000 - MINI, ISO & Sub-Micro Solenoid Valve Connectors

Series 5F - Lighted and surge Suppressed Molded MINI, ISO and Sub-Micro Solenoid Valve Connectors

Series 5J - Lighted and surge Suppressed Molded MINI, ISO and Sub-Micro Solenoid Valve Connectors

Series R5000 - MINI and ISO Rectified Connectors

Series D5400 - Micro Solenoid Driver (MSD), Power Converter

Series P5600 - MINI, ISO & Sub-Micro Solenoid Valve Connectors with Built-in Surge Suppression

Series FAC - Adapter Connectors Fieldbus to Solenoid Valves

Series iLW - Interposed Lighted Wafer (MRO) Retro-fit Indicator Light

Series M5 - Male Connectors

Model MCCR - Multiple Control Connector

Series DCP - Solenoid Valve DIN Coil Protectors

Series 5000
Series P5600
ISO



Series 5000
Series P5600
MINI



Series 5000
Series P5600
Sub-Micro



Series 5F



Series 5J



Series R5000



Series D5400




Series FAC



Series iLW



Series M5



Model MCCR



Series DCP



Cylinder Proximity Sensors

Series 7000 - Reed and Electronic Sensors for 2" to 8" Bore Tie Rod Cylinders

Series 7HL - Hazardous Location Magnetic Proximity Sensors for Tie Rod Cylinders

Series 8000 - Reed & Electronic Sensors for Round, Tie-rod, or Extruded Cylinders

Series 8WS - Reed & Electronic Sensors for Pneumatic Cylinders with 12mm Dovetail

Series 9C - Reed & Electronic Magnetic Sensors for Round Keyway Groove

Series 9D - Reed & Electronic Sensors for Universal Applications

Series 9E - Reed & Electronic Sensor for Universal Applications



Series 7000



Series 7HL



Series 8000



Series 8WS



Series 9C



Series 9D



Series 9E

Timers, Proportional and Electronic Circuits

Series 5800 - Micro Logic Timer, DIN Connector with Internal Timer Circuit

Series 5950 - Micro Proportional Driver

Series B5950 - Block Micro Proportional Driver

Model CRT - Condensation Removal Timer

Sandwich CRT - Condensation Removal Timer

Series EOS - Tactile End of Stroke Pneumatic / Hydraulic Weld Field Immune Sensor

Series EOS 2 - Tactile End of Stroke Pneumatic and Hydraulic Sensor

Model MBT - Multifunction Block Timer, 12 Functions in 1 Timer



Series 5800



Series 5950



Series B5950



Model CRT



Sandwich CRT



Series EOS



Series EOS 2



Series MBT

Round Connectors

B-Type / Round Sensor - For Use with Canfield Proximity Devices



12mm Molded Locking Connector



12mm Field Wireable Connector



8mm Molded Locking Connector



8mm Field Wireable Connector




7/8" Straight Field Wireable



7/8" 90° Field Wireable



8mm Rear Mount Wired



8mm Front Mount
with PCB Pins



12mm Rear Mount
PG 13.5 - 1/2" NPT Wired



12mm Front Mount Wired



12mm Rear Mount
Dip Solder 6mm



12mm 4 Hole Plate
Mount Solder Cups



12mm Rear Mount
Solder Cups

D-Box - Electrical Distributor Box for 8mm and 12mm Quick Connect Cables



Eight Station D-Box
for 8mm Connectors



Eight Station D-Box for
12mm Connectors

Conveyor Controls

OSV - Optical Sensor Valve Photo-eye Accumulation System



OSV